EAST Search History

EAST Search History (Prior Art)

Ref#	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	9171	@ad<"20031119" and (BAN or basic near2 access near2 network)	US- PGPUB; USPAT	OR	ON	2009/09/01 08:52
L2	4	@ad<"20031119" and (BAN or basic near2 access near2 network) same multi \$1cast\$4	US- PGPUB; USPAT	OR	ON	2009/09/01 08:52
L4	103	@ad<"20031119" and (seam\$1less near2 roam\$3 or session near2 continu\$7 or (hand\$1over or hand\$3 adj off)) with multi\$1cast\$4	US- PGPUB; USPAT	OR	ON	2009/09/01 08:59
L5	0	@ad<"20031119" and (seam\$1less near2 roam\$3 or session near2 continu\$7 or (hand\$1over or hand\$3 adj off)) with multi\$1cast\$4 near3 (through or by)	US- PGPUB; USPAT	OR	ON	2009/09/01 08:59
L6	704	@ad<"20031119" and mobile near3 IP with (register\$7 or updat\$4)	US- PGPUB; USPAT	OR	ON	2009/09/01 09:34
L7	22	@ad<"20031119" and mobile near3 IP with (register\$7 or updat\$4) with multi \$1cast\$4	US- PGPUB; USPAT	OR	ON	2009/09/01 09:35
S2	1	"10579733"	US- PGPUB; USPAT	OR	ON	2009/03/04 10:21
S3	20	· 16314295"	US- PGPUB; USPAT	OR	ON	2009/03/04 12:18
S4	203	"5959577"	US- PGPUB; USPAT	OR	ON	2009/03/04 12:19
S5	27	"5959577" and (fan).in.	US- PGPUB; USPAT	OR	ON	2009/03/04 12:19
S6	10080	@ad<"20031119" and (GPS or global adj position adj system) and (wire\$1less or radio or mobile or cellular) near2 network	US- PGPUB; USPAT	OR	ON	2009/03/04 12:26
S7	10080	@ad<"20031119" and (GPS or (global adj position adj system)) and (wire\$1less or radio or mobile or cellular) near2 network	US- PGPUB; USPAT	OR	ON	2009/03/04 12:33
S8	5475	@ad<"20031119" and (GPS or (global adj position adj system)) and (wire\$1less or radio or mobile or cellular) near2 network and server	US- PGPUB; USPAT	OR	ON	2009/03/04 12:34
S9	85	@ad<"20031119" and (GPS or (global adj position adj system)) and (wire\$1less or radio or mobile or cellular) near2 network and home adj agent	US- PGPUB; USPAT	OR	ON	2009/03/04 12:34

S10	12	"5959577" and seamless	US- PGPUB; USPAT	OR	ON	2009/03/04 12:43
S11	12	"5959577" and seam\$1less	US- PGPUB; USPAT	OR	ON	2009/03/04 12:43
S12	179	"5959577" and (GPS or global adj position adj system)	US- PGPUB; USPAT	OR	ON	2009/03/04 13:35
S13	179	@ad<"20031119" and (GPS or (global adj position adj system)) and multi\$1cast \$7 and seam\$1less	US- PGPUB; USPAT	OR	ON	2009/03/04 13:42
S14	153	@ad<"20031119" and (GPS or (global adj position adj system)) and multi\$1cast \$7 and seam\$1less and (wire\$1less or radio or mobile or cellular) near2 network	US- PGPUB; USPAT	OR	ON	2009/03/04 14:01
S15	0	@ad<"20031119" and (GPS or (global adj position adj system)) same multi \$1cast\$7 same seam\$11ess same (wire \$1less or radio or mobile or cellular) near2 network	US- PGPUB; USPAT	OR	ON	2009/03/04 14:04
S16	0	@ad<"20031119" and (GPS or (global adj position adj system)) same multi \$1cast\$7 same seam\$11ess and (wire \$1less or radio or mobile or cellular) near2 network	US- PGPUB; USPAT	OR	ON	2009/03/04 14:05
S17	6	@ad<"20031119" and (GPS or (global adj position adj system)) same multi \$1cast\$7 and seam\$1 less and (wire \$1less or radio or mobile or cellular) near2 network	US- PGPUB; USPAT	OR	ON	2009/03/04 14:05
S18	7	@ad<"20031119" and (GPS or (global adj position adj system)) and multi\$1 cast \$7 and seam\$1 less with (hand\$1 over or hand\$3 adj off) and (wire\$1 less or radio or mobile or cellular) near2 network	US- PGPUB; USPAT	OR	ON	2009/03/04 14:06
S19	8	@ad<"20031119" and (GPS or (global adj position adj system)) same seam \$1less with (hand\$1over or hand\$3 adj off)	US- PGPUB; USPAT	OR	ON	2009/03/04 14:13
S20	259	@ad<"20031119" and seam\$1less near2 (hand\$1over or hand\$3 adj off)	US- PGPUB; USPAT	OR	ON	2009/03/04 14:25
S21	33	@ad<"20031119" and seam\$11ess near2 (hand\$1over or hand\$3 adj off) and (GPS or (global adj position adj system))	US- PGPUB; USPAT	OR	ON	2009/03/04 14:26
S22	3	@ad<"20031119" and "5959577" and seam\$1less	US- PGPUB; USPAT	OR	ON	2009/03/04 15:56
S23	40565	@ad<"20031119" and (table or data \$1base) near3 server	US- PGPUB; USPAT	OR	ON	2009/03/04 15:58
S24	4388	@ad<"20031119" and (table or data \$1base) near3 (server or host) and (status and preference and configuration)	US- PGPUB; USPAT	OR	ON	2009/03/04 15:59

S25	250	@ad<"20031119" and (table or data \$1base) near3 (server or host) and (status and preference and configuration) with (table or data\$1base)	US- PGPUB; USPAT	OR	ON	2009/03/04 15:59
S26	0	@ad<"20031119" and (table or data \$1base) near3 (server or host) and (status and preference and configuration) with (table or data\$1base) and home near3 agent near3 server	US- PGPUB; USPAT	OR	ON	2009/03/04 16:01
S27	0	@ad<"20031119" and (table or data \$1base) near3 (server or host) and (status and preference and configuration) with (table or data\$1base) and home near3 agent with (host or server)	US- PGPUB; USPAT	OR	ON	2009/03/04 16:01
S28	83	@ad<"20031119" and (table or data \$1base) near3 (server or host) and (status and preference and configuration) with (table or data\$1base) and (wire \$1less or radio or mobile or cellular) near2 network	US- PGPUB; USPAT	OR	ON	2009/03/04 16:02
S29	1	@ad<"20031119" and (table or data \$1base) near3 (server or host) and (terminal or device or node) with (status and preference and configuration) with (table or data\$1base) and (wire\$1less or radio or mobile or cellular) near2 network	US- PGPUB; USPAT	OR	ON	2009/03/04 16:03
S30	3	"7222154"	US- PGPUB; USPAT	OR	ON	2009/03/04 16:04
S31	196	["20020020186" "20020052965" "2003005019" "2003006902" "2004005213" "4325146" "4377501" "5081707" "5125684" "5155689" "5223844" "5313582" "5551652" "5365451" "5392390" "5406491" "5416473" "5416842" "5424727" "5436960" "5470233" "5477215" "5436960" "5470233" "5477215" "54379472" "5487100" "5565874" "5574917" "5572528" "5603054" "5508786" "5527549" "564768" "5570417" "5572528" "5603054" "5508786" "5572549" "5712899" "577392" "571072" "5744787" "5745965" "571072" "5744787" "5745965" "5510272" "5744787" "5745965" "5510272" "55743661" "589254" "589284" "5803642" "5893086" "5849373" "5850818" "5892339" "5548764" "5884033" "5887254" "5889455" "5880432" "5897254" "5889455" "5893682" "5890825" "5908655" "5930474" "5987254" "5561590" "59832355" "5987262" "50039655" "5933255" "5987062" "60039265" "5983255" "5987062" "6003926" "6002855" "5901493" "6032708" "6042736"	US- PGPUB; USPAT; USOCR	OR .	OFF	2009/03/04

		6049711" 6052439" 6052600" -6058422" 6061565" 6067008" -6072483" 6073165" 607675" -6085192" 608584" 6076175" -6085192" 608584" 6076175" -610531" 6107940" 6108533" -6115754" 6125200" 6118533" -6115754" 6125200" 6131121" -6134432" 6148261" 6151606" -6154212" 6154461" 6151606" -6170026" 6175589" 6185204" -6185205" 6199045" 620962" -6202023" 6209645" 620962" -6202023" 6209645" 621962" -6230012" 6236652" 6249572" -6236658" 6239642" NN OR (6258568" 6239642" -633012" 6336131" 6342844" -633398" 6309041" 6342844" -633398" 6309041" 6342844" -633598" 6346941" 6342844" -6452910" 6341679" 6445251" -6452910" 6456603 6468076" -6470179" 6470447" 647466" -6490443" 6456603 6468076" -645919" 6519571" 65565666" -6569619" 6596261" 65566666" -66693893" 66693864" 6693866" -66693923" 66693459" 66643664" -66693223" 66687423" 6693866" -66704303" 6768231" 6774302" -67719603" 67768232" 6776822" -677196103" 67768232" 67768322" -677686102" 6607270 6806666" -6775565" 66626667" 66626666" -6775665" 67682397 67768229" -6776861007 6806666" -6775663" 67768297 67778322" -67861007 6806666" -68160087 68064720" 6806666" -68160087 68064720" 6806666" -68160087 68064720" 6806666" -68160087 680666087 -68160087 680666087 -68160087 680666087 -68160087 68066087 -68160087 68066087 -6816087 68066087				
S32	196	"6904449" "6970850" "7089209" "7110744").PN. S31 and @ad<"20031119"	US- PGPUB; USPAT; USOOR	OR	OFF	2009/03/04 16:06
333	6	S31 and @ad<"20031119" and (terminal or device or node) with (status or preference or configuration) with (table or data\$1base)	US- PGPUB; USPAT; USOCR	OR	OFF	2009/03/04 16:06
334	1	"20040023652"	US- PGPUB; USPAT; USOCR	OR	OFF	2009/03/04 16:57
335	302	@ad<"20031119" and (wire\$1less or radio or mobile or cellular) near2 network same internet same subscriber near3 info \$7	US- PGPUB; USPAT	OR	ON	2009/03/04 17:01
336	52	@ad<"20031119" and (wire\$1less or radio or mobile or cellular) near2 network same internet same subscriber near3 info \$7 with data\$1base	US- PGPUB; USPAT	OR	ON	2009/03/04 17:01

S37	53	@ad<"20031119" and (wire\$1less or radio or mobile or cellular) near2 network same internet same subscriber near3 info \$7 with (data\$1base or table)	US- PGPUB; USPAT	OR	ON	2009/03/04 17:01
S38	285	@ad<"20031119" and (wire\$1less or radio or mobile or cellular) near2 network same internet same (user or subscriber or terminal or device) near3 (info\$7 or profile or status or preference or configuration) with (data\$1base or table)	US- PGPUB; USPAT	OR	ON	2009/03/04 17:13
S39	80	[@adc "20031119" and (wire\$1less or radio or mobile or cellular) near2 network same internet same (user or subscriber or terminal or device) near3 (info\$7 or profile or status or preference or configuration) with (data\$1base or table) and (GPS or (global adj position adj system))	US- PGPUB; USPAT	OR	ON	2009/03/04 17:13
S40	9	@ad<"20031119" and (wire\$1less or radio or mobile or cellular) near2 network same internet same (user or subscriber or terminal or device) near3 (into\$7 or profile or status or preference or configuration) with (data\$1base or table) and (GPS or (global ad) position adj system)) and seam\$fless.	US- PGPUB; USPAT	OR	ON	2009/03/04 17:18
S41	4139	@ad<"20031119" and radio adj access adj network	US- PGPUB; USPAT	OR	ON	2009/03/05 10:00
S42	388	@ad<"20031119" and (radio adj access adj network) and (GPS or global adj position adj system)	US- PGPUB; USPAT	OR	ON	2009/03/05 10:00
S43	59	@ad<"20031119" and (radio adj access adj network) and (GPS or global adj position adj system) and multi\$1cast\$7	US- PGPUB; USPAT	OR	ON	2009/03/05 10:18
S44	1	@ad<"20031119" and (radio adj access adj network) and (GPS or global adj position adj system) and multi\$1cast\$7 and seam\$1less near2 (hand\$1over or hand adj (over or off))	US- PGPUB; USPAT	OR	ON	2009/03/05 10:29
S45	13	"6611688"	US- PGPUB; USPAT	OR	ON	2009/03/05 13:16
S46	2	"20020022488"	US- PGPUB; USPAT	OR	ON	2009/03/05 13:18
S47	117	@ad<"20031119" and multi\$1cast\$7 same ((radio or wire\$1less) adj access\$7 adj network)	US- PGPUB; USPAT	OR	ON	2009/03/05 13:20
S48	1	"20070243821"	US- PGPUB; USPAT	OR	ON	2009/03/05 13:43
S49	263	@ad<"20031119" and seam\$1less near2 (hand\$1over or hand adj (over or off))	US- PGPUB; USPAT	OR	ON	2009/03/05 15:54

S50	132	@ad<"20031119" and seam\$11ess near2 (hand\$1over or hand adj (over or off)) and (data\$1base or table)	US- PGPUB; USPAT	OR	ON	2009/03/05 15:54
S51	8	@ad<"20031119" and seam\$1less near2 (hand\$1over or hand adj (over or off)) and (data\$1base or table) with MSC	US- PGPUB; USPAT	OR	ON	2009/03/05 16:24
S52	8	@ad<"20031119" and seam\$1less near2 (hand\$1over or hand adj (over or off)) and (data\$1base or table) with (MSC or mobile adj switch adj center)	US- PGPUB; USPAT	OR	ON	2009/03/05 16:24
353	33	@ad<"20031119" and seam\$1less near2 (hand\$1over or hand adj (over or off)) and (data\$1base or table) with rout\$7	US- PGPUB; USPAT	OR	ON	2009/03/05 16:26
354	0	@ad<"20031119" and seam\$1less near2 (hand\$1over or hand adj (over or off)) and (data\$1base or table) with rout\$7 and (data\$1base or table) with connect \$7 near3 type	US- PGPUB; USPAT	OR	ON	2009/03/05 16:28
355	0	@ad<"20031119" and seam\$1less near2 (hand\$1over or hand adj (over or off)) and (data\$1base or table) with rout\$7 and (data\$1base or table) with connect \$7 near3 config\$7	US- PGPUB; USPAT	OR	ON	2009/03/05 16:28
356	1	@ad<"20031119" and seam\$1less near2 (hand\$1 over or hand adj (over or off)) and (data\$1 base or table) with rout\$7 and (data\$1 base or table) with (connect \$7 or interfac\$7 or network) near3 (config \$7 or type)	US- PGPUB; USPAT	OR	ON	2009/03/05 16:28
357	5	@ad<"20031119" and seam\$1less near2 (hand\$1over or hand adj (over or off)) and (data\$1base or table) with (connect \$7 or interfac\$7 or network) near3 (config \$7 or type)	US- PGPUB; USPAT	OR	ON	2009/03/05 16:38
358	5	@ad<"20031119" and (seam\$1less or loss \$1less) near2 (hand\$1 over or hand adj (over or off)) and (data\$1 base or table) with (connect\$7 or interfac\$7 or network) near3 (config\$7 or type)	US- PGPUB; USPAT	OR	ON	2009/03/05 16:39
359	1	@ad<"20031119" and seam\$1less near2 (hand\$1over or hand adj (over or off)) and (data\$1base or table) with (connect \$7 or interfac\$7) near3 (config\$7 or type or profile)	US- PGPUB; USPAT	OR	ON	2009/03/05 16:45
360	7013	@ad<"20031119" and (data\$1base or table) with (connect\$7 or interfac\$7) near3 (config\$7 or type or profile)	US- PGPUB; USPAT	OR	ON	2009/03/05 16:46
361	175	@ad<"20031119" and (data\$1base or table) with (connect\$7 or interfac\$7) near3 (config\$7 or type or profile) and (hand\$1over or hand adj (off or over))	US- PGPUB; USPAT	OR	ON	2009/03/05 16:47
S62	9481	@ad<"20031119" and (data\$1base or table) with (connect\$7 or interfac\$7) near3 (config\$7 or type or profile) (data \$1base or table) with rout\$3 and (hand \$1over or hand adj (off or over))	US- PGPUB; USPAT	OR	ON	2009/03/05 16:51

S63	81	@ad<"20031119" and (data\$1base or table) with (connect\$7 or interfac\$7) near3 (config\$7 or type or profile) and (data\$1base or table) with rout\$3 and (hand\$1over or hand adj (off or over))	US- PGPUB; USPAT	OR	ON	2009/03/05 16:51
S64	15	@ad<"20031119" and (data\$1base or table) with (connect\$7 or interfac\$7) near3 (config\$7 or type or profile) and (data\$1base or table) with rout\$3 and (hand\$1over or hand adj (off or over)) and HLR	US- PGPUB; USPAT	OR	ON	2009/03/05 16:52
S65	175	@ad<"20031119" and (data\$1base or table) with (connect\$7 or interfac\$7) near3 (config\$7 or type or profile) and (hand\$1over or hand adj (off or over))	US- PGPUB; USPAT	OR	ON	2009/03/05 17:10
S66	1	@ad<"20031119" and (data\$1base or table) with (connect\$7 or interfac\$7) near3 (config\$7 or type or profile) and seam\$1less near3 (hand\$1 over or hand adj (off or over))	US- PGPUB; USPAT	OR	ON	2009/03/05 17:10
S67	8	@ad<"20031119" and (data\$1base or table) with (terminal or device) near3 (config\$7 or type or profile) and seam \$1less near3 (hand\$1 over or hand adj (off or over))	US- PGPUB; USPAT	OR	ON	2009/03/05 17:11
S68	2	"20050154774"	US- PGPUB; USPAT	OR	ON	2009/03/05 17:22
S69	0	"20020016171"	USPAT	OR	OFF	2009/03/06 12:04
S70	0	"2002016171"	US- PGPUB; USPAT	OR	ON	2009/03/06 12:05
S71	1	"20020016171"	US- PGPUB; USPAT	OR	ON	2009/03/06 12:05
S72	548	@ad<"20031119" and (GPS or (global adj position adj system)) same map same server	US- PGPUB; USPAT	OR	ON	2009/03/06 15:14
S73	73	@ad<"20031119" and (GPS or (global adj position adj system)) same map with request\$7 same server	US- PGPUB; USPAT	OR	ON	2009/03/06 15:38
S74	90	"5610821"	US- PGPUB; USPAT	OR	ON	2009/03/06 15:43
S75	54	@ad<"20031119" and (GPS or (global adj position adj system)) same map with request\$7 same server and (wire\$11ess or radio or mobile or cellular) near2 network	US- PGPUB; USPAT	OR	ON	2009/03/06 15:49
S 76	14	((MASUGI) near2 (INOUE)).INV.	US- PGPUB; USPAT	OR	OFF	2009/03/07 09:28

S77	20	((MIKIO) near2 (HASEGAWA)).INV.	US- PGPUB; USPAT	OR	OFF	2009/03/07 09:28
S78	46	((KHALED) near2 (MAHMUD)).INV.	US- PGPUB; USPAT	OR	OFF	2009/03/07 09:28
S79	6	((HOMARE) near2 (MURAKAMI)).INV.	US- PGPUB; USPAT	OR	OFF	2009/03/07 09:28
S80	0	(S76 or S77 or S78 or S79) and (global adj position\$3 adj system).clm.	USPAT	OR	OFF	2009/03/07 09:29
S81	17	(S76 or S77 or S78 or S79) and (position \$3 or locat\$3).clm.	USPAT	OR	OFF	2009/03/07 09:29
S82	1	(S76 or S77 or S78 or S79) and ((position \$3 or locat\$3) and (wire\$1less or mobile or cellular or radio)).clm.	USPAT	OR	OFF	2009/03/07 09:30
S83	236	(370/432).ccls, and ((position\$3 or locat \$3) and (wire\$1less or mobile or cellular or radio))	USPAT	OR	OFF	2009/03/07 09:31
S84	9	(370/432).ccls. and ((GPS or global adj position\$3 adj system) and (wire\$1less or mobile or cellular or radio))	USPAT	OR	OFF	2009/03/07 09:31
S85	21	(370/431,432).ccls. and ((GPS or global adj position\$3 adj system) and (wire \$1less or mobile or cellular or radio))	USPAT	OR	OFF	2009/03/07 09:32
S86	518	(455/403,414.1,414.2,414.3).cds. and ((GPS or global adj position\$3 adj system) and (wire\$11ess or mobile or cellular or radio))	USPAT	OR	OFF	2009/03/07 09:33
S87	425	(455/403,414.1,414.2,414.3).cds. and ((GPS or global adj position\$3 adj system) and (wire\$11ess or mobile or cellular or radio) near3 network)	USPAT	OR	OFF	2009/03/07 09:34
S88	252	((455/403,414.1,414.2,414.3).ccls. and ((GPS or global adj position\$3 adj system) and (wire\$1less or mobile or cellular or radio) near3 network and map \$4)	USPAT	OR	OFF	2009/03/07 09:34
S89	45	((455/403,414.1,414.2,414.3).cds. and ((GPS or global adj position\$3 adj system) and (wire\$1less or mobile or cellular or radio) near3 network and map \$4 with request\$3)	USPAT	OR	OFF	2009/03/07 09:35
S90	1	(370/431,432).cols. and ((GPS or global adj position\$3 adj system) and (wire \$1less or mobile or cellular or radio) near3 network and map\$4 with request \$3)	USPAT	OR	OFF	2009/03/07 09:35
S91	35	(455/403,414.1,414.2,414.3).cols. and ((GPS or global adj position\$3 adj system) and (wire\$1less or mobile or cellular or radio) near3 network and map \$4 with request\$3) and @ad<"20031119"	USPAT	OR	OFF	2009/03/07 09:36

S92	2	[455/403,414.1,414.2,414.3),cds. and ((GFS or global adj position\$3 adj system) and (wire\$1less or mobile or cellular or radio) near3 network and map \$4 with request\$3 and (hand\$1over or hand adj (over or off))) and @ad<*20031119*	USPAT	OR	OFF	2009/03/07 09:37
S93	493	@ad<"20031119" and seam\$11ess near2 (hand\$1over or hand\$3 adj off or roam\$3 or session near2 continu\$7)	US- PGPUB; USPAT	OR	ON	2009/08/31 15:17
S94	2	@ad<"20031119" and seam\$11ess near2 (hand\$10ver or hand\$3 adj off or roam\$3 or session near2 continu\$7) same multi \$1cast\$4	US- PGPUB; USPAT	OR	ON	2009/08/31 15:18
S95	35	@ad<"20031119" and (seam\$1less near2 (hand\$1over or hand\$3 adj off or roam \$3) or session near2 continu\$7) same multi\$1cast\$4	US- PGPUB; USPAT	OR	ON	2009/08/31 15:19
S96	144	@ad<"20031119" and (seam\$1less near2 (hand\$1over or hand\$3 adj off) or roam \$3 or session near2 continu\$7) same multi\$1cast\$4	US- PGPUB; USPAT	OR	ON	2009/08/31 15:19
S97	177	@ad<"20031119" and (seam\$1less near2 roam\$3 or session near2 continu\$7 or (hand\$1over or hand\$3 adj off)) same multi\$1cast\$4	US- PGPUB; USPAT	OR	ON	2009/08/31 15:19
S98	28	@ad<"20031119" and (seam\$1less near2 roam\$3 or session near2 continu\$7 or (hand\$1over or hand\$3 adj off)) same multi\$1cast\$4 same (radio or wire\$1less or mobile or cellular) near2 network	US- PGPUB; USPAT	OR	ON	2009/08/31 15:20

9/1/2009 10:29:31 AM

C:\ Documents and Settings\ cjiang1\ My Documents\ EAST\ Workspaces\ 10579733.wsp